

**FIGURE 2(a)**

**FIGURE 2(b)**









FIGURE 4

FIGURE 5**High-level Code Examples:**

1. Allocate 51
2. Apply 52 to 51, parameters = (X, Y, Z, W), input = 51 (Sea Shore image), output = [place holder] CC sea shore
3. Apply 53, parameters (X, Y, Z, W), input = cc sea shore, output = [place holder] FC CC sea shore
4. Apply 54, parameters (X, Y, Z, W), input buffer 53, input Sea Shore image, output = [place holder] sea shore result

**FIGURE 6**

**FIGURE 7**









FIGURE 8

**FIGURE 9**

**FIGURE 10**

**Figure 11**

**FIGURE 12**




FIGURE 14

CPU GPU		
Time 1	Frame 1	Prior Task
Time 2	Frame 2	Frame 1
Time 3	Frame 3	Frame 2
Time 4	Frame 4	Frame 3
Time 5	Frame 5	Frame 4
Time 6	Frame 6	Frame 5
Time 7	Frame 7	Frame 6

15(a)

FIGURE 15(a) & 15(b)


P1 P2 P3 P4				
Time 1	Frame 1			
Time 2	Frame 2	Frame 1		
Time 3	Frame 3	Frame 2	Frame 1	
Time 4	Frame 4	Frame 3	Frame 2	Frame 1
Time 5	Frame 5	Frame 4	Frame 3	Frame 2
Time 6	Frame 6	Frame 5	Frame 4	Frame 3
Time 7		Frame 6	Frame 5	Frame 4

15(b)


CPU		GPU
Time 1	Frame 1, effect 1	
Time 2	Frame 2, effect 1	Frame 1, effect 2
Time 3	Frame 1, effect 3	Frame 2, effect 2
Time 4	Frame 2, effect 3	Frame 1, effect 4
Time 5	Frame 3, effect 1	Frame 2, effect 4
Time 6	Frame 4, effect 1	Frame 3, effect 2
Time 7	Frame 3, effect 3	Frame 4, effect 2
Time 8	Frame 4, effect 3	Frame 3, effect 4
		Frame 4, effect 4

FIGURE 15(c)

15(c)



17(a)



17(b)

Figures 17(a) & 17(b)